TOSO

Ceiling Curtain Rail Ciero Line Ciero Cloud Ciero Mini



- •Minimal design curtain rail that can accentuate the beauty of fabric.
- •Perfect solution for wave style by using patented curtain stopper and wave components.
- Invisible type (Line), less visible and easy installation type (Cloud), and compact type for curved window (Mini) are available.



Ciero Line / Ciero Cloud / Ciero Mini



What is Ciero?

Avoid Wasted Elements

We scrape off not only operation noises but also all kinds of unnecessary components in the look. Ciero series maximize the beauty of curtain fabric in the open space that has wide window or high ceiling.

Design

A design that blends into the ceiling as if it doesn't exist.

Functions

It provides a high level of operability, quietness, and maintainability, especially under the condition of large opening and tall window.

Wave Style Curtain

We also propose a curtain style that creates beautiful waves optimal for curtains from the ceiling to the floor.

Ciero Lineup

Ciero Line



- The best rail that blends into space
- When embedded in the ceiling, a design with a flange (collar) so that the ceiling can be shown beautifully.

Ciero Cloud



• Pursuing a design fits flat on the ceiling with a direct attachment, even in environments that cannot be embedded.

Ciero Mini




• We hold down function and realize minimum size.

Ciero Series Overview

Performance	Feat	ures	Ciero Line	Ciero Cloud	Ciero Mini
Perfo	Installatio	n Method	Ceiling embedded attachment	Ceiling direct attachment	Ceiling direct attachment
Maintainability	The slider can be inserted and removed even after the rail is attached. (End Cap Square only)	Possible to add the slider	0	0	
	Slider with excellent design and silence	Clear Slider	0	\bigcirc	0
Design	Removable add on stop	Stop	0	\bigcirc	0
	Wave curtain support (When using the wave style set)	Wave Curtain	0	\bigcirc	0
Convenience	By using the Curtain Stopper, the opening of the window is widened, which makes the room brighter.	Curtain Stopper	0	\bigcirc	_
Conve	The curtain can be opened and closed from both sides of the rail.	One-way MG Slider (Multi magnet function)	(Option)	(Option)	(Option)
Functionality	Available to install to corner windows (120 mmR, 180 mmR)	Curve processing	_	_	0
Functio	Possible to joint	Joint	0	\bigcirc	0

Ciero Series' Unique Feature

Smooth and Quiet Sliders



Quiet Reduces the noise when opening and closing the curtain. 0 Very quiet 10 Late at night in the suburbs 30 40 dB Ciero white Library, hospital - 50 dB Ciero black 50 Normal conversation 60 65 dB Ordinary 70 curtain tracks 80 Noisy office 90 100 (dB)

2 Durable and Sustainable

High abrasion resistance material is used for sliding part: keep operation smoothness for a long time compare to ordinary curtain tracks.

Light and Smooth

Smoothness on the joint part, no jam at the joint part.

Track	Allowable Curtain Weight	Material	New One	After 10,000 times
Ciero white	10 kg (22 lb)	HDPD	0.4 kgf (.88 lbf)	0.4 kgf (.88 lbf)
Ciero black	10 kg (22 lb)	HDPD	0.5 kgf (1.1 lbf)	0.5 kgf (1.1 lbf)
TOSO standard track with roller	10 kg (22 lb)	Polyethylene	1.06 kgf (2.3 lbf)	2.98 kgf (6.6 lbf)

Track	Allowable Curtain Weight	Material	Operation Weight
Ciero white	10 kg (22 lb)	HDPD	0.6 kgf (1.3 lbf)
Ciero black	10 kg (22 lb)	HDPD	0.7 kgf (1.5 lbf)
TOSO standard track with roller	10 kg (22 lb)	Polyester elastomer	0.7 kgf (1.5 lbf)

Easy Maintenance — Detachable End Cap

After recessed installation or installing the track close to the wall, it is difficult to insert sliders because of no space to do it.

Detachable end cap gives solution for the problem. Enables to insert sliders for maintenance.





Curtain Stopper (Option for Ciero Line and Ciero Cloud) Suitable for Wave Style Curtain

Stop curtain wherever you want. Stop the curtain pushing back caused by fabric thickness. (No need to use tiebacks) Recommended for Wave Style Curtain that is easy to push back to close. Patent pending by TOSO.



Without Stopper

The curtain stopper can be attached to the rail groove.



With Stopper

Go to instruction movie of TOSO Curtain Stopper.



One Way Magnet Slider

Insert One Way Magnet Slider to both side of track, and curtain can be open from both side.

This function makes you comfortable entering and exiting the room.



Stop



Available to install or remove with rails attached

Since the Cap and Stop are separate parts, available for single-sided and multi-magnet specification. Unnecessary Stops can be removed without tools. (Even if you open the curtain on one side, it fits neatly without any pressure.)

Wave Style's Unique Features

- The Wave Style creates a feeling of naturally flowing fabric.
- The curtains are draped in gentle waves about 1.5 times the width of window, resulting in a continuity of pattern and texture.
- There is a natural wave in the curtains at intervals of 80 mm (3.1") or 60 mm (2.4").
- With its tape and accessories, it creates natural, elegant symmetrical waves.

*Pleating cord keeps waves evenly shaped, making the curtain rich and stylish.

Wave Style Structure

Even number of hooks used in all cases.


Rollers spaced at 80 mm (3.1") or 60 mm (2.4") intervals to produce waves. Both left and right sides of curtains always end in troughs.

*To make appealing wave style curtains, use Flat Tape and Pleating Cord.


*Fabrics with soft weft threads and stiff warp threads such as plain weaves are advisable.

How to Sew Curtain with Flat Tape

- From the top edge of the curtain front side so that it overlaps about 1.5 to 2 cm (.59 to .79"). Place WS Tape 2 and hang a sewing machine. *There is no top or bottom on the tape.
- 2 Bend the curtain cloth to the back side, sew a sewing machine.
- 3 The curtain fabric is a few millimeters away from the WS Tape 2.If you fold it at the position, it will be 10 mm (.39") above from under the hook.







Fold

WS Tape 2

3

2 Fold back

2–3 mm

(.08-.11")

1.5-2 cm

(.59-.79")

Ciero Line


Ciero Line's Unique Features



Invisible curtain rail embedded into ceiling to complement window and fabric more beautiful.




Lineup




Plain Cap White Black

Materials and Finishes


Parts		Material	Finish
Bail	White	Aluminum alloy	Alumite white
nali	Black	extrusion material	Alumite black
Square	White		White
Cap	Black	ABS resin, Steel	Black
Plain	White		White
Сар	Black	Nylon	Black
	Plate	Copolyester resin	_
Slider	Wheel	High sliding special polyethylene resin	_
	Oval ring	Stainless steel	-
Stop		Copolyester resin, Silicon rubber, Stainless steel	_
Curtain Stopper		Acetal resin, Magnet	_
Joint	White		White
Joint	Black	Black Stainless, PP resin	




Ciero Line



Ciero Line Rails







25 mm (.98") 12.5 mm (.49") 14 mm (.55") 8 mm (.31")

	Product Code				
Size	Height: 9.5 mm (.37")		Height: 12.5 mm (.49")		
	White	Black	White	Black	
1.00 m (39")	30014708	30014712	30014716	30014720	
2.00 m (79")	30014709	30014713	30014717	30014721	
3.00 m (118"); 1.5 m (59") × 2	30017088	30017089	30017090	30017091	
4.00 m (157")	30016500	30016501	30016502	30016503	

Ciero Cloud Parts

	Product Name	Product Code	
Caps	End Cap Square	White	30014745
		Black	30014746
	End Cap Plain	White	30014747
		Black	30014748
Stop	Stop	30014757	

	Product Name		Product Code
	Slider (8 pieces per strip)		30014740
Sliders	MG Slider		30014741
	One-way MG Slider		30014742
Others	Curtain Stopper		30014743
Gt	Joint	White	30017096
		Black	30017097

	Product Name	Product Code
	WS Tape 2 75 mm / 25 m	30015662
Others	Gather Hook NN-10	00340187
0	Pleating Cord 80 mm 15 m	03490033
	Pleating Cord 60 mm 100 m	30018273

Ciero Cloud


Ciero Cloud's Unique Features



Almost invisible even if it is mounted on ceiling directly without embedding the rail.



Lineup






Materials and Finishes


F	Parts	Material	Finish
Bail	White	Aluminum alloy	Alumite white
Rall	Black	extrusion material	Alumite black
Square	White		White
Cap	Black	ABS resin, Steel	Black
Round	White		White
Сар	Black	ABS resin, Steel	Black
Plain	White	Nular	White
Сар	Black	Nylon	Black
	Plate	Copolyester resin	—
Slider	Wheel	High sliding special polyethylene resin	_
	Oval ring	Stainless steel	_
Stop		Copolyester resin, Silicon rubber, Stainless steel	_
Curtain Stopper		Acetal resin, Magnet	_
Joint	White	Steinlage DD regin	White
Joint	Black	Stainless, PP resin	Black

Installation Interval and Allowable Curtain Load




Ciero Cloud


Installation Dimensions



*1 Adjust according to the volume of the curtain.



Ciero Cloud Rails




Size	Product Code		
Size	White	Black	
1.00 m (39″)	30014724	30014728	
2.00 m (79")	30014725	30014729	
3.00 m (118"); 1.5 m (59") × 2	30017092	30017093	
4.00 m (157")	30016504	30016505	

Ciero Cloud Parts

	Product Name	Product Code	
	End Cap Square	White	30014749
		Black	30014750
Caps	End Cap Round	White	30014751
Cõ	Contraction of the second seco	Black	30014752
	End Cap Plain	White	30014753
		Black	30014754
Stop	Stop		30014757

	Product Name	Product Code	
	Slider (8 pieces per strip)		30014740
Sliders	MG Slider		30014741
	One-way MG Slider		30014742
Others	Curtain Stopper		30014743
Ot	Joint	White	30017096
		Black	30017097



Ciero Mini's Unique Features




Compact curtain rail fitting on ceiling with direct attachment to complement window and fabric more beautiful. Curved rails are available.



Materials and Finishes


Parts		Material	Finish	
Rail	White	Aluminum alloy	Alumite white	
	Black	extrusion material	Alumite black	
Plain Cap	White	Nular Steel	White	
	Black	Nylon, Steel	Black	
Slider	Plate	Copolyester resin	_	
	Wheel	High sliding special polyethylene resin	_	
	Oval ring	Stainless steel	_	
Stop		Copolyester resin, Silicon rubber, Stainless steel	_	
Joint	White	Stainlage DD regin	White	
	Black	Stainless, PP resin	Black	


Installation Interval and Allowable Curtain Load



Installation Dimensions

Ceiling Attachment






*1 Adjust according to the volume of the curtain.


Plain Cap

Cap



*Only A Hook can be used.


Ciero Mini Rails



Size	Product Code		
Size	White	Black	
1.00 m (39″)	30014732	30014736	
2.00 m (79")	30014733	30014737	
3.00 m (118"); 1.5 m (59") × 2	30017094	30017095	
4.00 m (157")	30016506	30016507	

Installation Diagram

Curved Rail - R120 mm (R4.7") / R180 mm (R7.1")





Ciero Mini Parts


	Product Name	Product Code	Product Name			Product Code	
S	End Cap Square	White	30014755		Joint	White	30017096
Caps		Black	30014756			Black	30017097
Stop	Stop		30014757		WS Tape 2 75 mm / 25 m		30015662
	Slider (8 pieces per strip)		30014740	Others	Gather Hook NN-10)	00340187
Sliders	MG Slider		30014741		Pleating Cord 80 mm 15 m		03490033
	One-way MG Slider		30014742		Pleating Cord 60 mm		30018273

Curtain Wand

To keep the Wave Style, the Ciero Series is available with a Curtain Wand that attaches to the leading MG Slider. It is easy to operate high curtains and thick/heavy curtains, and prevents stains and wrinkles because the curtain fabric is not directly touched.







Curtain Wand White and Clear are SIAA safety standards compliant for antiviral performance. It reduces the number of specific viruses on the product.

The SIAA mark is displayed on products that have been evaluated according to the ISO 21702 and ISO 22196 methods, and whose quality control and information have been disclosed under the Antimicrobial Product Technology Council guidelines.

Anti-virus processing

- •This product is not a pharmaceutical product.
- It uses antiviral materials that meet the safety standards of SIAA.
 This product conforms to SIAA safety
- standards. •Antiviral processing is not intended
- to treat or prevent diseases.

Antibacterial processing

- •This product is not a pharmaceutical product.
- •It does not inhibit the growth of all bacteria.
- •This product uses antimicrobial materials that meet SIAA safety standards.

Curtain Wand / Gray (rope type)

