


## CREATY Cord and Cord Twin

Innovative cord type roman blind,

## CREATY Cord (Twin / Single)

released on Oct 1, 2007.



### Easy Lift-cord Operation “No Need to Swing”


“Heart cum” stopper enables to lock & release the cords without “swing”.

To raise the blind:

Pull down the cord, and simply release the chain to stop at desired elevation.

To lower the blind:


Pull the cord for 5cm (2 in.), and blind comes down.



### Easy Set Up with Improved Components

Modified cord guide saves time to assemble.

Just snap-in after setting the lift cords



### Common Parts Available for Three Models

One head rail can be used for three models; Creaty Drum Single, Cord Twin, and Cord Single.

### Available Dimension [CREATY Cord Twin]

(Plain style + Plain style)

	Minimum	Maximum
Width	300 mm (12")	~ 2,400 mm (95")
Height	480 mm (19")	~ 3,000 mm (118")

Allowable load: 8kg (17.6 lb.) in total of two blinds  
(One of blinds must be within 5kg or 11 lb.)



### Available Dimension [CREATY Cord (Single)]

(Plain style)

	Minimum	Maximum
Width	300 mm (12")	~ 2,400 mm (95")
Height	480 mm (19")	~ 3,000 mm (118")


Allowable load: 5kg (11 lb.)

## CREATY Cord and Cord Twin

### Product General Description, Part Names, and Diagrams

#### (a) Creaty Cord (Single)


- Sectional and Overall View




- Allowable load: 5 kg
- Corner Joints: available for Bay Windows, link-able up to 3 blinds.
- Linked Blind Maximum Dimension: Width 2700mm, Height 3000mm (Balloon style).
- Universal and Ceiling Type, easy click-in brackets.

#### [Universal and Ceiling Bracket Installation Diagram]


Universal Bracket (wall)



Universal Bracket (ceiling)




Ceiling Bracket(ceiling)



## CREATY Cord and Cord Twin

### Creaty Cord Twin

- Sectional and Overall View




**One-end Operation**

**Two-ends Operation**

- Allowable load: 8 kg in total of two blinds. (One of blinds must be within 5kg)
- Selectable from One-end or Two-ends operations.
- Universal and Ceiling Type, easy click-in brackets.

**[ Universal and Ceiling Bracket Installation Diagram ]**



For more information, please contact TOSO Overseas Dept.