

Supertrac




- Rollers assure smooth operation even with heavy curtains.
- Manual, cord draw and motor operation are possible.
- Can also be used for skylights, curved rails, IV bottles and picture rails.

Supertrac

Supertrac's Unique Features and Applications

Smooth opening and closing with grooves for rollers and Traverse Cords.




Motor operation using a curtain motor is another choice.


Extremely convenient for use with wide curtains or curtains located in high positions, and for opening and closing heavy curtains.




Useful as picture rail.



Ceiling Attachment




Wall Attachment



With Hanger Roller F

A wide range of IV rail parts are available.

The Roller is designed to automatically lock with the weight of an IV bottle and to effectively reduce noise.




A wide range of cord-draw parts for Curved, Skylight and Overlap Rails are available.

As well as a regular cord draw, cord draws with special specifications can also be installed without any difficulty. Convenient cord-draw parts kits are also available.

- Cord Draw Parts Kit for Curved Rail
- Cord Draw Parts Kit for Skylight
 - *Supertrac Rail, Roller and Traverse Cord (3.5 mm/ 138") are not included.
- Cord Draw Parts Kit for Overlap Rail
 - *Supertrac Rail, Roller, Traverse Cord (3.5 mm/ 138"), Tension Pulley and installation screws are not included.


For Curved Rail

Cord Draw Parts Kit for Curved Rail





For Skylight

Cord Draw Parts Kit for Skylight



Sewing Method for Skylight Curtains

1. French seams to insert pipes should be 20–25 mm (.79"–.98").
2. Intervals between rollers should be of equal width and over 500 mm (20") except for Skylight Master Rollers (240–250 mm/9.4"–9.8").
3. Curtain width is the same size (Width + 60 mm/2.4") as the pipe.




Skylight curtain with Supertrac and Cording Parts Kit for Skylight

Materials and Finishes

Parts		Material	Finish
Rail	Silver	Aluminum alloy extrusion material	Alumite
	White		Alumite white
Roller	Plate	Polyester	—
	Wheel	Polyester elastomer	
	Oval ring	Stainless steel	

Parts		Material	Finish
End Cap	Plate	Steel	Silver alumite
	Spring plate	Bainitic steel	
Bracket	Body	Aluminum	Silver alumite
	Snap board	Steel	


Bracket Installation Interval and Allowable Curtain Load



Installation Dimensions


Ceiling Attachment

Direct attachment
(Roller used)




*23 mm (.91") if an OM roller is used.


Direct attachment
(Swing Roller with Ring used)



Direct attachment
(Swing Roller with Hook used)




Ceiling Single Bracket
Bracket width = 46 mm (1.8")
(Roller used)



*23 mm (.91") if an OM roller is used.


Wall Attachment

Single Bracket A
Bracket width = 20 mm (.79")
(Roller used)



*23 mm (.91") if an OM roller is used.

Double Bracket
Bracket width = 24 mm (.94")
(Roller used)




*23 mm (.91") if an OM roller is used.

Supertrac Rails

Silver



White



Size	Product Code	
	Silver	White
3.00 m (118")	00240023	00240093
4.00 m (157")	00240026	00240094
Curved Rail (500 mmR/20"R) 1.00 m x 1.00 m (39" x 39") (Ordered separately) ^{*1}	00240058	00240095

^{*1} Curved 1.00 m x 1.00 m (39" x 39") rails (ordered separately) are 500 mmR (20"R).

Note: Possible radius sizes—450 mmR (18"R), 800 mmR (31"R) or more




Supertrac Parts

Product Name		Product Code	
Rollers	Roller	—	00240011
	Allowable load: 3 kg/6.6 lb	Black	30020828
	OM Roller		00240010
	Allowable load: 3 kg/6.6 lb		
	Swing Roller with Ring		00240059
	Allowable load: 3 kg/6.6 lb		
	Swing Roller with Hook		00240056
	Allowable load: 3 kg/6.6 lb		
	One-way Magnet Carrier	—	30013668
	For curved rail over 300 mmR (12"R).	Black	30020831
Brackets	Overlap Master Roller	—	00240006
	For curved rail over 500 mmR (20"R).		
	Pilot Roller (wire)		00240060
	Single Bracket A	Silver	00240018
		White	00240068
	Double Bracket	Silver	00240014
		White	00240069
	Ceiling Single Bracket A	Silver	00240016
		White	00240070
	Overhead Hanger	Silver	00240007
End Caps	Wall Bracket	Silver	00240013
		White	00240072
	End Cap	Silver	00240019
		White	00240073
		Black	30020829
	End Stop	Silver	00240020
		Black	30020832

Product Name		Product Code	
Cord Draw Parts	Pulley Set	Silver	00240005
		White	00240075
	Master Roller for Cord (Right & Left)		00240042
	Long Master Roller		00240045
	Overlap Installation Kit		00240034
	Cord Draw Parts Kit for Curved Rail		00240043
	Cord Draw Parts Kit for Skylight		00240044
Cord Draw Parts	Overlap Pulley (1 pair), Pilot Roller (2 pcs), End Stop (4 pcs), Overlap Bracket (1 pc), Cord Clip (10 pcs)		
	Curved Pulley (1 pair), Curved Master Roller (1 pair), Tension Pulley 240 (1 pc)		
	Skylight A & B Pulley (1 pair), Skylight Master Roller A & B (1 pair), Tension Pulley 240 (1 pc), Pipe Hook (2 pcs)		

Product Name		Product Code	
Cord Draw Parts	Skylight Pipe Roller		00240037
	Skylight Pipe Clip		00240046
	Tension Pulley 240	White	00500005
	Tension Pulley 450	Silver	00500007
	Tension Pulley 650	Silver	00500008
	Traverse Cord 3.5 mm DIA.	White	00580010
	Support Pulley A		00500009
	Support Pulley B		00500010
	Support Pulley C		00500011

Other Parts

Product Name			Product Code
Cover Splice  (*)	Silver	00240054	
	White	00240067	
OT Splice 	Silver	00240003	
	White	00240066	
Splice (for Aluminum rail) 		00240004	
IV Roller For a curve rail, use it together with a rail of 300 mmR (12"R) or longer. 		00240001	
Adjustable Hanger Rod A 	A170 (130–170 mm /5.1"–6.7")	Silver	00290034
		White	00290038
	A250 (170–250 mm /6.7"–9.8")	Silver	00290036
		White	00290039
	A400 (245–400 mm /9.6"–16")	Silver	00290017
		White	00290040
	A700 (395–700 mm /16"–28")	Silver	00290016
		White	00290041
	A1100 (595–1,100 mm /23"–43")	Silver	00290015
		White	00290042
	A1600 (845–1,600 mm /33"–63")	Silver	00290014
		White	00290043

* A Cover Splice can not be used with a Long Master Roller or Master Roller M (wire) Right/Left.

