


Supertrac




- Rollers assure smooth operation even with heavy curtains.
- Manual, cord draw and motor operation are possible.
- Can also be used for skylights, curved rails, IV bottles and picture rails.

Supertrac

Supertrac's Unique Features and Applications

Smooth opening and closing with grooves for rollers and Traverse Cords.



Motor operation using a curtain motor is another choice.


Extremely convenient for use with wide curtains or curtains located in high positions, and for opening and closing heavy curtains.



Useful as picture rail.


Ceiling Attachment

Wall Attachment




A wide range of IV rail parts are available.

The Roller is designed to automatically lock with the weight of an IV bottle and to effectively reduce noise.



The Pursuit of Pure Monochrome: Introducing “All-Black”

Go beyond conventional black. Our new “All-Black” specification unifies every single component—including resin and metal parts—in a flawless black finish. Developed to meet the exacting standards of architects and designers worldwide, it eliminates visual noise to deliver a perfectly coordinated, minimalist aesthetic.




A wide range of cord-draw parts for Curved, Skylight and Overlap Rails are available.

As well as a regular cord draw, cord draws with special specifications can also be installed without any difficulty. Convenient cord-draw parts kits are also available.

- Cord Draw Parts Kit for Curved Rail
- Cord Draw Parts Kit for Skylight
 - *Supertrac Rail, Roller and Traverse Cord (3.5 mm/138") are not included.
- Cord Draw Parts Kit for Overlap Rail
 - *Supertrac Rail, Roller, Traverse Cord (3.5 mm/138"), Tension Pulley and installation screws are not included.


For Curved Rail

Cord Draw Parts Kit for Curved Rail




For Skylight

Cord Draw Parts Kit for Skylight



Sewing Method for Skylight Curtains

1. French seams to insert pipes should be 20–25 mm (.79"–.98").
2. Intervals between rollers should be of equal width and over 500 mm (20") except for Skylight Master Rollers (240–250 mm/9.4"–9.8").
3. Curtain width is the same size (Width + 60 mm/2.4") as the pipe.




Skylight curtain with Supertrac and Cording Parts Kit for Skylight

Materials and Finishes

Parts		Material	Finish
Rail	Silver	Aluminum alloy extrusion material	Alumite
	White		Powder coating
	Black		
Roller	Plate	Polyester	Silver, White, Black
	Wheel	Polyester elastomer	
	Oval ring	Stainless steel	—

Parts		Material	Finish
End Cap	Plate	Steel	Silver, White, Black
	Spring plate	Bainitic steel	
Bracket	Body	Aluminum	Silver, White, Black
	Snap board	Steel	


Bracket Installation Interval and Allowable Curtain Load



Installation Dimensions


Ceiling Attachment

Direct attachment
(Roller used)




*23 mm (.91") if an OM roller is used.


Direct attachment
(Swing Roller with Ring used)



Direct attachment
(Swing Roller with Hook used)




Ceiling Single Bracket
Bracket width = 46 mm (1.8")
(Roller used)



*23 mm (.91") if an OM roller is used.


Wall Attachment

Single Bracket A
Bracket width = 20 mm (.79")
(Roller used)




*23 mm (.91") if an OM roller is used.

Double Bracket
Bracket width = 24 mm (.94")
(Roller used)



*23 mm (.91") if an OM roller is used.

Supertrac Rails



Silver



White



Black



All Black




Size	Product Code		
	Silver	White	Black ^{*2}
3.00 m (118")	00240023	00240093	—
4.00 m (157")	00240026	00240094	—
Curved Rail (500 mmR/20"R) 1.00 m x 1.00 m (39" x 39") (Ordered separately) ^{*1}	00240058	00240095	—



^{*1} Curved 1.00 m x 1.00 m (39" x 39") rails (ordered separately) are 500 mmR (20"R).







^{*2} For black color options, please contact a TOSO sales representative.






Note: Possible radius sizes—450 mmR (18"R), 800 mmR (31"R) or more

Supertrac Parts





Product Name		Product Code
Roller		— 00240011
	Allowable load: 3 kg/6.6 lb 18 mm (.71")	Black 30020828
OM Roller		00240010
Allowable load: 3 kg/6.6 lb 18 mm (.71")		
Swing Roller with Ring		00240059
Allowable load: 3 kg/6.6 lb		
Swing Roller with Hook		00240056
Allowable load: 3 kg/6.6 lb		
One-way Magnet Carrier		— 30013668
For curved rail over 300 mmR (12"R).		Black 30020831
Overlap Master Roller		— 00240006
For curved rail over 500 mmR (20"R).		
50 mm (2.0") 83 mm (3.3") 153 mm (6.0")		Black 30020830
Pilot Roller (wire)		00240060
90 mm (3.5")		

Product Name		Product Code
Single Bracket A		Silver 00240018
		White 00240068
		Black 30017809
Double Bracket		Silver 00240014
		White 00240069
Ceiling Single Bracket A		Silver 00240016
		White 00240070
		Black 30017812
Overhead Hanger		Silver 00240007
		White 00240071
		Black 30017813
Wall Bracket		Silver 00240013
		White 00240072
End Cap		Silver 00240019
		White 00240073
		Black 30020829
End Stop		Silver 00240020
		Black 30020832

Product Name		Product Code
Pulley Set		Silver 00240005
		White 00240075
Master Roller for Cord (Right & Left)		00240042
81 mm (3.2") 96 mm (3.8")		
Long Master Roller		00240045
Two Rollers are necessary for Two-way Draw. 100 mm (3.9") 270 mm (10.6") 66 mm (2.6")		
Overlap Installation Kit		00240034
Overlap Pulley (1 pair), Pilot Roller (2 pcs), End Stop (4 pcs), Overlap Bracket (1 pc), Cord Clip (10 pcs)		
Cord Draw Parts Kit for Curved Rail		00240043
83 mm (3.3") 170 mm (6.7") 240-340 mm (9.4"-13.1")		
Curved Pulley (1 pair), Curved Master Roller (1 pair), Tension Pulley 240 (1 pc)		
Cord Draw Parts Kit for Skylight		00240044
224 mm (8.8") 200 mm (7.9") 240-340 mm (9.4"-13.1")		
Skylight A & B Pulley (1 pair), Skylight Master Roller A & B (1 pair), Tension Pulley 240 (1 pc), Pipe Hook (2 pcs)		

Product Name	Product Code
Skylight Pipe Roller 	00240037
Skylight Pipe Clip 	00240046
Tension Pulley 240 	White 00500005
Tension Pulley 450 	Silver 00500007
Tension Pulley 650 	Silver 00500008
Traverse Cord 3.5 mm DIA. 	White 00580010
Support Pulley A 	00500009
Support Pulley B 	00500010
Support Pulley C 	00500011

Cord Draw Parts

Product Name	Product Code
Cover Splice 	Silver 00240054
(*) 	White 00240067
OT Splice 	Silver 00240003
	White 00240066
	Black 30017811
Splice (for Aluminum rail) 	00240004
IV Roller  For a curve rail, use it together with a rail of 300 mmR (12"R) or longer.	00240001
Adjustable Hanger Rod A 	A170 (130–170 mm /5.1"–6.7") Silver 00290034
	White 00290038
	A250 (170–250 mm /6.7"–9.8") Silver 00290036
	White 00290039
	A400 (245–400 mm /9.6"–16") Silver 00290017
	White 00290040
	A700 (395–700 mm /16"–28") Silver 00290016
	White 00290041
	A1100 (595–1,100 mm /23"–43") Silver 00290015
	White 00290042
	A1600 (845–1,600 mm /33"–63") Silver 00290014
	White 00290043

Other Parts

* A Cover Splice can not be used with a Long Master Roller or Master Roller M (wire) Right/Left.

