Ceiling Curtain Rail

## Ciero Line Ciero Cloud Ciero Mini





- Minimal design curtain rail that can accentuate the beauty of fabric.
- Perfect solution for wave style by using patented curtain stopper and wave components.
- •Invisible type (Line), less visible and easy installation type (Cloud), and compact type for curved window (Mini) are available.



### Ciero Line / Ciero Cloud / Ciero Mini



#### What is Ciero?

#### **Avoid Wasted Elements**

We scrape off not only operation noises but also all kinds of unnecessary components in the look. Ciero series maximize the beauty of curtain fabric in the open space that has wide window or high ceiling.

#### Design

A design that blends into the ceiling as if it doesn't exist.

#### **Functions**

It provides a high level of operability, quietness, and maintainability, especially under the condition of large opening and tall window.

#### **Wave Style Curtain**

We also propose a curtain style that creates beautiful waves optimal for curtains from the ceiling to the floor.

#### Ciero Lineup

#### Ciero Line



- The best rail that blends into space
- When embedded in the ceiling, a design with a flange (collar) so that the ceiling can be shown beautifully.

#### **Ciero Cloud**



 Pursuing a design fits flat on the ceiling with a direct attachment, even in environments that cannot be embedded.

#### Ciero Mini




 We hold down function and realize minimum size.

#### Ciero Series Overview

Performance	Feat	ures	Ciero Line	Ciero Cloud	Ciero Mini
Perfo	Installatio	n Method	Ceiling embedded attachment	Ceiling direct attachment	Ceiling direct attachment
Maintainability	The slider can be inserted and removed even after the rail is attached. (End Cap Square only)	Possible to add the slider		0	_
	Slider with excellent design and silence	Clear Slider	0	0	0
Design	Removable add on stop	Stop	0	0	0
	Wave curtain support (When using the wave style set)	Wave Curtain	0	0	0
Convenience	By using the Curtain Stopper, the opening of the window is widened, which makes the room brighter.	Curtain Stopper		0	_
Conve	The curtain can be opened and closed from both sides of the rail.	One-way MG Slider (Multi magnet function)	(Option)	(Option)	(Option)
Functionality	Available to install to corner windows (120 mmR, 180 mmR)	Curve processing	_	_	0
Functi	Possible to joint	Joint		0	0


#### Ciero Series' Unique Feature

#### **Smooth and Quiet Sliders**



#### Quiet

Reduces the noise when opening and closing the curtain.



## 2 Durable and Sustainable

High abrasion resistance material is used for sliding part: keep operation smoothness for a long time compare to ordinary curtain tracks.

Track	Allowable Curtain Weight	Material	New One	After 10,000 times
Ciero white	10 kg (22 lb)	HDPD	0.4 kgf (.88 lbf)	0.4 kgf (.88 lbf)
Ciero black	10 kg (22 lb)	HDPD	0.5 kgf (1.1 lbf)	0.5 kgf (1.1 lbf)
TOSO standard track with roller	10 kg (22 lb)	Polyethylene	1.06 kgf (2.3 lbf)	2.98 kgf (6.6 lbf)

## 3 Light and Smooth

Smoothness on the joint part, no jam at the joint part.

Track	Allowable Curtain Weight	Material	Operation Weight
Ciero white	10 kg (22 lb)	HDPD	0.6 kgf (1.3 lbf)
Ciero black	10 kg (22 lb)	HDPD	0.7 kgf (1.5 lbf)
TOSO standard track with roller	10 kg (22 lb)	Polyester elastomer	0.7 kgf (1.5 lbf)

#### **Easy Maintenance**

#### Detachable End Cap

After recessed installation or installing the track close to the wall, it is difficult to insert sliders because of no space to do it.

Detachable end cap gives solution for the problem. Ciero Line Enables to insert sliders for maintenance.





#### Curtain Stopper (Option for Ciero Line and Ciero Cloud) Suitable for Wave Style Curtain

Stop curtain wherever you want.

Stop the curtain pushing back caused by fabric thickness. (No need to use tiebacks) Recommended for Wave Style Curtain that is easy to push back to close.

Patent pending by TOSO.





The curtain stopper can be attached to the rail groove.



Go to instruction movie of TOSO Curtain Stopper.

#### One Way Magnet Slider

Insert One Way Magnet Slider to both side of track, and curtain can be open from both side.

This function makes you comfortable entering and exiting the room.







#### Stop



#### Available to install or remove with rails attached

Since the Cap and Stop are separate parts, available for single-sided and multi-magnet specification. Unnecessary Stops can be removed without tools. (Even if you open the curtain on one side, it fits neatly without any pressure.)

#### Wave Style's Unique Features

- The Wave Style creates a feeling of naturally flowing fabric.
- The curtains are draped in gentle waves about 1.5 times the width of window, resulting in a continuity of pattern and texture.
- There is a natural wave in the curtains at intervals of 80 mm (3.1") or 60 mm (2.4").
- With its tape and accessories, it creates natural, elegant symmetrical waves.

\*Pleating cord keeps waves evenly shaped, making the curtain rich and stylish.



#### **Wave Style Structure**

Even number of hooks used in all cases.

Rollers spaced at 80 mm (3.1") or 60 mm (2.4") intervals to produce waves. Both left and right sides of curtains always end in troughs.


- \*To make appealing wave style curtains, use Flat Tape and Pleating Cord.
- \*Fabrics with soft weft threads and stiff warp threads such as plain weaves are advisable.

# Slider Pleating Cord


#### How to Sew Curtain with Flat Tape


- 1 From the top edge of the curtain front side so that it overlaps about 1.5 to 2 cm (.59 to .79"). Place WS Tape 2 and hang a sewing machine.


  \*There is no top or bottom on the tape.
- Bend the curtain cloth to the back side, sew a sewing machine.
- The curtain fabric is a few millimeters away from the WS Tape 2. If you fold it at the position, it will be 10 mm (.39") above from under the hook.



## Wave Style Components







## Ciero Line

#### Ciero Line's Unique Features



Invisible curtain rail embedded into ceiling to complement window and fabric more beautiful.



#### Lineup

Square Cap —








#### Materials and Finishes

Parts		Material	Finish
Rail	White	Aluminum alloy	Alumite white
пан	Black	extrusion material	Alumite black
Square	White	ADOi- OtI	White
Cap	Black	ABS resin, Steel	Black
Plain	White	N. I	White
Cap	Black	Nylon	Black
	Plate	Copolyester resin	_
Slider	Wheel	High sliding special polyethylene resin	_
	Oval ring	Stainless steel	_
Stop		Copolyester resin, Silicon rubber, Stainless steel	_
Curtain Stopper		Acetal resin, Magnet	_
Joint	White	Otaliala and DD manife	White
	Black	Stainless, PP resin	Black


#### Installation Interval and Allowable Curtain Load



#### Installation Dimensions


\*Only A Hook can be used.


#### Ceiling Attachment



\*1 Adjust according to the volume of the curtain.


#### Cap






\*2 When the stop is at the end.

#### Ciero Line Rails





	Product Code					
Size	Height: 9.5 mm (.37")		Height: 12.5 mm (.49")			
	White	Black	White	Black		
1.00 m (39")	30014708	30014712	30014716	30014720		
2.00 m (79")	30014709	30014713	30014717	30014721		
3.00 m (118"); 1.5 m (59") × 2	30017088	30017089	30017090	30017091		
4.00 m (157")	30016500	30016501	30016502	30016503		

#### Ciero Line Parts

	Product Name	Product Code	
	End Cap Square	White	30014745
Caps		Black	30014746
S	End Cap Plain	White	30014747
		Black	30014748
Stop	Stop		30014757

	Product Name		Product Code
	Slider (8 pieces per strip)		30014740
Sliders	MG Slider		30014741
	One-way MG Slider		30014742
Others	Curtain Stopper	9	30014743
₹	Joint	White	30017096
		Black	30017097

_			
	Product Name	Product Code	
	WS Tape 2 75 mm / 25 m		30015662
Others	Gather Hook NN-10		00340187
J	Pleating Cord 80 mm 15 m	White	03490033
	80 mm (3.2")	Black	30020029
	Pleating Cord 60 mm 100 m		30018273

## **Ciero Cloud**

#### Ciero Cloud's Unique Features



Almost invisible even if it is mounted on ceiling directly without embedding the rail.



#### Lineup










#### Materials and Finishes

F	Parts	Material	Finish
Rail	White	Aluminum alloy	Alumite white
naii	Black	extrusion material	Alumite black
Square	White	ADOi OtI	White
Сар	Black	ABS resin, Steel	Black
Round	White	ADOi OtI	White
Сар	Black	ABS resin, Steel	Black
Plain	White		White
Сар	Black	Nylon	Black
	Plate	Copolyester resin	_
Slider	Wheel	High sliding special polyethylene resin	_
	Oval ring	Stainless steel	_
Stop		Copolyester resin, Silicon rubber, Stainless steel	_
Curtain S	topper	Acetal resin, Magnet	_
Joint	White	Otaliala and DD manin	White
JOHN	Black	Stainless, PP resin	Black

#### Installation Interval and Allowable Curtain Load



\*2 When the stop is at the end.

#### Installation Dimensions

Ceiling Attachment

Single Double

26 mm
(1.0")


45 mm (1.8")

The distance between rails must be 60 mm (2.4") or more \*1

#### \*Only A Hook can be used. Cap Square Cap Rail length 45 mm (1.8") 15 mm (.59") 27 mm (1.1") \*2 Round Cap Rail length 45 mm (1.8") 11 mm (.43") 15 mm (.59") 37 mm (1.5") \*2 Plain Cap Rail length 2 mm (.08") 45 mm (1.8")

15 mm (.59")

#### Ciero Cloud Rails



Size	Product Code		
Size	White	Black	
1.00 m (39")	30014724	30014728	
2.00 m (79")	30014725	30014729	
3.00 m (118"); 1.5 m (59") × 2	30017092	30017093	
4.00 m (157")	30016504	30016505	

西

16 mm (.63") \*2

#### Ciero Cloud Parts

	Product Name	Product Code	
	End Cap Square	White	30014749
		Black	30014750
Caps	End Cap Round	White	30014751
ပိ		Black	30014752
	End Cap Plain	White	30014753
		Black	30014754
Stop	Stop		30014757

	Product Name	Product Code	
	Slider (8 pieces per strip)		30014740
Sliders	MG Slider		30014741
	One-way MG Slider		30014742
Others	Curtain Stopper		30014743
	Joint	White	30017096
		Black	30017097

	Product Name	Product Code	
	Joint Pin		02620020
Others	WS Tape 2 75 mm / 25 m		30015662
	Gather Hook NN-10	)	00340187
	Pleating Cord 80 mm 15 m	White	03490033
	80 mm (3.2")	Black	30020029
	Pleating Cord 60 mm 100 m		30018273

<sup>\*1</sup> Adjust according to the volume of the curtain.

#### Ciero Mini's Unique Features



Compact curtain rail fitting on ceiling with direct attachment to complement window and fabric more beautiful.

Curved rails are available.



#### Lineup

Plain Cap







#### Materials and Finishes

F	arts	Material	Finish
Rail	White	Aluminum alloy	Alumite white
naii	Black	extrusion material	Alumite black
Plain	White	Nylon, Steel	White
Cap	Black		Black
	Plate	Copolyester resin	_
Slider	Wheel	High sliding special polyethylene resin	_
	Oval ring	Stainless steel	_
Stop		Copolyester resin, Silicon rubber, Stainless steel	_
	White	Ctainless DD resin	White
Joint	Black Stainless, PP resin		Black

#### Installation Interval and Allowable Curtain Load



#### Installation Dimensions



9 mm (.35") 15 mm (.59") 15 mm (.59") 16 mm (.63") \*2

distance between rails be 60 mm (2.4") or more \*1

Cap

Plain Cap

Rail length


2 mm (.08")

\*Only A Hook can be used.

18 mm (.71")

<sup>\*1</sup> Adjust according to the volume of the curtain.


#### Ciero Mini Rails



Size	Product Code	
Size	White	Black
1.00 m (39")	30014732	30014736
2.00 m (79")	30014733	30014737
3.00 m (118"); 1.5 m (59") × 2	30017094	30017095
4.00 m (157")	30016506	30016507

#### Installation Diagram

Curved Rail - R120 mm (R4.7") / R180 mm (R7.1")  $^{-}$ 



#### Ciero Mini Parts

Product Name			Product Code
Caps	End Cap Square	White	30014755
Ca		Black	30014756
Stop	Stop		30014757
	Slider (8 pieces per strip)		30014740
Sliders	MG Slider		30014741
	One-way MG Slider		30014742


Product Name			Product Code
	Joint	White	30017096
		Black	30017097
	WS Tape 2 75 mm / 25 m		30015662
Others	Gather Hook NN-10		00340187
	Pleating Cord 80 mm 15 m	White	03490033
	80 mm (3.2")	Black	30020029
	Pleating Cord 60 mm 100 m		30018273




#### Curtain Wand

To keep the Wave Style, the Ciero Series is available with a Curtain Wand that attaches to the leading MG Slider. It is easy to operate high curtains and thick/heavy curtains, and prevents stains and wrinkles because the curtain fabric is not directly touched.

#### Curtain Wand / White (steel)



#### Curtain Wand / Crear (resin)



## Curtain Wand White and Clear are SIAA safety standards compliant for antiviral performance. It reduces the number of specific viruses on the product.

The SIAA mark is displayed on products that have been evaluated according to the ISO 21702 and ISO 22196 methods, and whose quality control and information have been disclosed under the Antimicrobial Product Technology Council guidelines.

#### Anti-virus processing

- •This product is not a pharmaceutical product.
- •It uses antiviral materials that meet the safety standards of SIAA.
- This product conforms to SIAA safety standards.
- •Antiviral processing is not intended to treat or prevent diseases.

#### Antibacterial processing

- This product is not a pharmaceutical product.
- It does not inhibit the growth of all bacteria.
- This product uses antimicrobial materials that meet SIAA safety standards.

#### Curtain Wand / Gray (rope type)

