

Roman Shade

Free!




- Very simple and slim roman shade mechanism.
- Cord operation only, easy installation with universal brackets.
- Suitable for light fabric.
- A heart cam stopper enables smooth raising and lowering of the shade.

Freel

Freel's Unique Feature

The head rail, with its “I-shaped” cross-section, allows the shade to compress neatly when raised.




I-shaped
cross-section
of the Head Rail

Positioning of the stopper, cord guides, and other components behind the Head Rail preserves design integrity by ensuring they cannot be seen, even through a thin fabric.




A heart cam stopper enables smooth raising and lowering of the shade.

Ordinary Roman Shades




Ordinary Roman Shades require the cord to be pulled straight down for operation.

Freel



Freel's heart cam stopper makes it possible to pull the cord at any angle for stop and release operation.


The ability to install the Lift Cord in the Cord Guide after assembly simplifies both assembly and maintenance.



Freel Cord Guide

Structure Drawing


Product View and Parts Name



Parts

- | | | |
|----------------|----------------|-------------------|
| ① Head Rail | ⑤ Lift Cord | ⑨ Cord Adjuster N |
| ② End Cap | ⑥ Cord Stop N | ⑩ Cord Guide |
| ③ Bracket | ⑦ Cord | ⑪ Weight Bar |
| ④ Cord Stopper | ⑧ Safety Joint | ⑫ Weight Bar Cap |

Bracket



Number of Components

Product Width	Number of Brackets	Product Width	Number of Cord Guides
300 mm (12")—600 mm (24")	2	300 mm (12")—500 mm (20")	2
610 mm (24")—1200 mm (47")	3	510 mm (20")—900 mm (35")	3
1210 mm (48")—1800 mm (71")	4	910 mm (36")—1400 mm (55")	4
1810 mm (71")—2400 mm (94")	5	1410 mm (56")—1900 mm (75")	5
		1910 mm (75")—2400 mm (94")	6

Maximum Shade Weight


3 kg (6.6 lb)
Including sewing materials.

Allowable Size


Product width (W)	300 mm (12") to 2,400 mm (94")
Product height (H)	480 mm (19") to 3,000 mm (118")

Installation Dimensions












Wall attachment



Ceiling attachment






Freel Parts

Product Name	Product Code	Product Name	Product Code	Product Name	Product Code
Head Rail 	4000 mm 03780001	Bracket 	03780004	RS Cord Stop N 	White 01320283
Hook and Loop Fastener (Hook Side) Slide-in Type (50 m) 	30020847	Head Cap 	03780003	RS Cord Stop Washer 	01320291
Cord Stopper 	03780002	RS Weight Bar 25 	3000 mm 01320267 4000 mm 01710022	Crealy Cord Safety Joint (Large) 	01320266
Cord Guide 	03780005	RS Weight Bar Cap 25 	01710023	Lift Cord ø 1.2 mm TO-0712 (300 m) 	White 01320275
				RS Cord ø 2.8 mm (200 m) 	White 01320231

*1 Using for one swag.

Sewing and Option Materials

Product Name	Example of use amount	Product Code
RS S-Shaped Ring for Cord N 	Installation on RS Tape with Loop	01320273
RS Cord Adjuster N 	Number of swag +1	01320272
RS Velcro Tape Female (25 m) 	Same length of the shade width	01320108